



# XS Wireless Digital MINI JACK RX

Model: RX 35

XS Wireless Digital MINI JACK RX receiver with 3.5 mm (1/8") output. Designed to be used with a DSLR video camera or any device with a 3.5 mm (1/8") input, this 2.4 GHz receiver will pair with any XSW-D transmitter. Offered as a replacement, this item includes a charging cable but does not include any other accessories.



## FEATURES

- One touch ease-of-use
- 2.4 GHz digital transmission for worldwide operation
- 75 m range (250 ft) in optimal conditions
- Up to 5 hours battery life on a single charge
- Switch between multiple transmitters linked to one receiver

## DELIVERY INCLUDES

- XSW-D MINI JACK RX (Model: RX 35)
- USB-A to USB-C charging cable
- Colored stickers for labelling
- Quick guide
- Safety guide

## SPECIFICATIONS

### USB C interface for charging:

Input voltage	typ. 5.0 V
Charging temperature	0 °C - 60 °C (32 °F - 140 °F)
Charging time	typ. 3 h

### Battery pack:

Cell type	Li-Ion
Nominal voltage	3.7 V
Cell capacity	850 mAh
Operating time	up to 5 h

### AF characteristics:

Codec	aptX® Live
Audio frequency response	80 - 18,000 Hz
Audio output	max. 12 dBu
Signal-to-noise ratio	≥ 106 dB
THD	< 0.1 %
Audio latency	< 4 ms

### Product properties:

Dimensions	approx. 86 x 24 x 28 mm
Weight	approx. 73 g
Frequency range	2,400 - 2,483.5 MHz
Modulation	GFSK with TDMA

### Environmental conditions:

Operating temperature	-10 °C to +55 °C (14 °F to 131 °F)
Relative humidity	95 % (non-condensing)



# XS Wireless Digital MINI JACK RX

Model: RX 35

## PRODUCT VARIANTS

XSW-D MINI JACK RX  
Receiver with 3.5 mm (1/8") output

Art. no. 508500

## AVAILABLE SETS

XSW-D VOCAL SET  
XS 1 handheld, female XLR transmitter,  
male XLR receiver

Art. no. 508484

XSW-D LAVALIER SET  
ME2-II, 3.5 mm (1/8") transmitter, male  
XLR receiver

Art. no. 508485

XSW-D PEDALBOARD SET  
6.3 mm (1/4") transmitter, pedalboard  
receiver

Art. no. 508486

XSW-D PORTABLE LAVALIER SET  
ME2-II, 3.5 mm (1/8") transmitter &  
3.5 mm (1/8") receiver

Art. no. 508488

XSW-D PORTABLE INTERVIEW SET  
Female XLR transmitter, 3.5 mm (1/8")  
receiver

Art. no. 508489

XSW-D PORTABLE ENG SET  
ME2-II, 3.5 mm (1/8") transmitter,  
female XLR transmitter, 3.5 mm (1/8")  
receiver

Art. no. 508490

XSW-D XLR BASE SET  
Female XLR transmitter, male XLR  
receiver

Art. no. 508491

XSW-D PRESENTATION BASE SET  
3.5 mm (1/8") transmitter, male XLR  
receiver

Art. no. 508492

XSW-D INSTRUMENT BASE SET  
6.3 mm (1/4") transmitter, 6.3 mm  
(1/4") receiver

Art. no. 508493

XSW-D PORTABLE BASE SET  
3.5 mm (1/8") transmitter, 3.5 mm  
(1/8") receiver

Art. no. 508621

## ACCESSORIES

XSW-D XLR FEMALE TX

Art. no. 508494

Transmitter with female XLR input

XSW-D MINI JACK TX

Art. no. 508495

Transmitter with 3.5 mm (1/8") input

XSW-D INSTRUMENT TX

Art. no. 508496

Transmitter with 6.3 mm (1/4") input

XSW-D XLR MALE RX

Art. no. 508497

Receiver with male XLR output

XSW-D INSTRUMENT RX

Art. no. 508498

Receiver with 6.3 mm (1/4") output

XSW-D PEDALBOARD RX

Art. no. 508499

Receiver with 6.3 mm (1/4") & male  
XLR outputs

NT XSW-D PEDALBOARD

Art. no. 508647

Power supply for pedalboard receiver

CL 35

Art. no. 508648

3.5 mm (1/8") coiled output cable

CI 63

Art. no. 508649

6.3 mm (1/4") extension input cable

XSW-D BELTPACK CLIP

Art. no. 508650

Transmitter belt clip

XSW-D HOTSHOE MOUNT

Art. no. 508651

Camera mount for XSW-D receivers



# XS Wireless Digital MINI JACK RX

Model: RX 35

## DIMENSIONS

### XSW-D MINI JACK RX

